


Valve accessory Transition plate

Type series: ZP-16-10...



- All external parts with zinc-nickel plating according to DIN EN ISO 19598
- Transition plate
- Suitable for stacking assemblies

Description

The transition plate ZP-16-10... enables stacking assemblies to be reduced from an ISO 4401 size 07 interface to size 05.

Technical data

General characteristics	Description, value, unit
Function group	Valve accessory
Function	Transition plate
Maximum operating pressure	420 bar
Weight	3 kg
Interface according to	ISO 4401-07-07 / ISO 4401-05-04
Surface protection	All external parts with zinc-nickel plating according to DIN EN ISO 19598


Ordering code

Ex. ZP - 16 - 10 - - - 2

- ZP = Transition plate
- 16 = Size 07 interface to ISO 4401-07-07
- 10 = Size 05 interface to ISO 4401-05-04
- (blank) = NBR (nitril-butadien-rubber / BUNA) seals (standard)
- V = FKM (fluorocarbon rubber / VITON) seals
(special seals - please contact BUCHER)
- 1...9 = design stage (omit when ordering)

Dimensions and sectional view

Beispiel für die Masseinheit:
Example for the dimensional units:
0.79 = 0.79 mm millimeter
(.031) = 0.031" inch



info.ch@bucherhydraulics.com

www.bucherhydraulics.com

© 2023 by Bucher Hydraulics AG Frutigen, 3714 Frutigen, Switzerland

All rights reserved.

Data is provided for the purpose of product description only, and must not be construed as warranted characteristics in the legal sense. The information does not relieve users from the duty of conducting their own evaluations and tests. Because the products are subject to continual improvement, we reserve the right to amend the product specifications contained in this catalogue.